



CORRIGENDUM

ADDENDUM No.02 Dated 19.06.2018
To
Tender No. SDG7515P18/09

This Addendum is being issued to:

A) Extension of Tender document sale end date/Bid Closing dates/Bid Opening dates as under:

Description	Existing Date & Time	Extended upto
Tender document sell end date	06.06.2018 (upto 15:30 Hrs IST)	11.07.2018 (upto 15:30 Hrs IST)
Bid Closing Date & Time	13.06.2018 (at 11.00 Hrs. IST)	18.07.2018 (at 11.00 Hrs. IST)
Technical Bid Opening Date & Time	13.06.2018 (at 14.00 Hrs. IST)	18.07.2018 (at 14.00 Hrs. IST)

B) For amendment to BEC/BRC clauses, Addition of New Clause, Technical Specification, Revised Technical specification matrix and Revised BEC/BRC matrix, **Refer Annexure-AA (Page no 2 to 7 of this document).**

All other Terms & Conditions of the Bid Document remain unaltered.

sd/-
Amrit Loushon Bora
Manager Materials(FD)
For GM Materials
For Resident Chief Executive

Amendments in Item Technical Specification			
Srl No	Clause reference	Existing Clause	Amended to read as
01	Annexure-I, AA:: Technical Specification, Item Sl. No. 10	<p>SIDE DOOR ELEVATOR FOR HANDLING 5.1/2" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 139.70 mm (5.1/2") OD Casing.</p>	<p>SIDE DOOR ELEVATOR FOR HANDLING 5.1/2" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 139.70 mm (5.1/2") OD Casing.</p> <p><u>Special Requirements:</u></p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C - 6.3.7 (Table - 2).</p> <p>b) SR-1 Proof Load Test: The items (5.1/2 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C - Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C - Annex A.4 for all of the items should be submitted along with the supply.</p>

02	Annexure-I, AA:: Technical Specification, Item SI. No. 20	<p>SIDE DOOR ELEVATOR FOR HANDLING 7" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 177.80 mm (7") OD Casing..</p>	<p>SIDE DOOR ELEVATOR FOR HANDLING 7" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 177.80 mm (7") OD Casing..</p> <p><u>Special Requirements:</u></p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C – 6.3.7 (Table – 2).</p> <p>b) SR-1 Proof Load Test: The items (7 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C – Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are to be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C – Annex A.4 for all of the items should be submitted along with the supply.</p>
----	---	--	---

03	Annexure-I, AA:: Technical Specification, Item SI. No. 30	<p>SIDE DOOR ELEVATOR FOR HANDLING 9.5/8" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 244.475 mm (9.5/8") OD Casing.</p>	<p>SIDE DOOR ELEVATOR FOR HANDLING 9.5/8" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 244.475 mm (9.5/8") OD Casing.</p> <p><u>Special Requirements:</u></p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C – 6.3.7 (Table – 2).</p> <p>b) SR-1 Proof Load Test: The items (9.5/8 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C – Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are to be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C – Annex A.4 for all of the items should be submitted along with the supply.</p>
----	---	--	---

04	Annexure-I, AA:: Technical Specification, Item SI. No. 40	<p>SIDE DOOR ELEVATOR FOR HANDLING 9.5/8" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 244.475 mm (9.5/8") OD Casing and for using Top Drive Drilling Rig.</p> <p>NOV type SMX or Forum Energy Technologies type SLX-250 or equivalent .</p>	<p>SIDE DOOR ELEVATOR FOR HANDLING 9.5/8" OD CASING, 250 TON CAPACITY</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 244.475 mm (9.5/8") OD Casing and for using Top Drive Drilling Rig.</p> <p>NOV type SMX or Forum Energy Technologies type SLX-250 or equivalent.</p> <p><u>Special Requirements:</u></p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C - 6.3.7 (Table - 2).</p> <p>b) SR-1 Proof Load Test: The items (9.5/8 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C - Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are to be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C - Annex A.4 for all of the items should be submitted along with the supply.</p>
----	--	---	---

05	Annexure-I, AA:: Technical Specification, Item SI. No. 50	SIDE DOOR ELEVATOR FOR HANDLING 13.3/8" OD CASING, 150 TON CAPACITY Collar Type Side Door Elevator as per API 8C PSL-2, 150 Ton rated capacity, for handling 339.725 mm (13.3/8") OD Casing	SIDE DOOR ELEVATOR FOR HANDLING 13.3/8" OD CASING, 150 TON CAPACITY Collar Type Side Door Elevator as per API 8C PSL-2, 150 Ton rated capacity, for handling 339.725 mm (13.3/8") OD Casing <u>Special Requirements:</u> a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C - 6.3.7 (Table - 2). b) SR-1 Proof Load Test: The items (13.3/8 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C - Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are be submitted along with the supply. Bidder to categorically confirm the same in the technical bid c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C - Annex A.4 for all of the items should be submitted along with the supply.
06	Annexure-I, BB:: Special Notes to Bidders, SI. No. 11	<i>Addition of new clause</i>	<u>Addition of new clause</u> Additional charges, if any towards third party inspection must be inclusive in bidder's quoted cost.

Amendments to BEC/BRC			
Srl No	Clause ref	Existing Clause	Amended to read as
07	Annexure-II, A) Bid Rejection Criteria, AA1. Technical, Clause no. 1.0 (A.1)	The bidder should have minimum 5 years continuous experience of manufacturing of tendered item conforming to API 8C certification, PSL-2. For this purpose, the period reckoned shall be period prior to the date of original bid closing date of the tender. Copies of API 8C certificates, at PSL-2 having authorization for Casing Elevators for the last 5 (Five) years (i.e. continuous without having any break in between) must be submitted along with techno - commercial bid. Bids without copies of valid API 8C certificates or with a break in between will be rejected. Additionally, the bidder should also possess API Specification Q1 for manufacturing of Casing Elevators. Valid copy of API Specification Q1 should be submitted along with the bid, without which the bid will be rejected.	The bidder should have minimum 5 years continuous experience of manufacturing of tendered item conforming to API 8C certification, PSL-2. For this purpose, the period reckoned shall be period prior to the date of original bid closing date of the tender. Copies of API 8C certificates, at PSL-2 having authorization for Casing Elevators for the last 5 (Five) years (i.e. continuous without having any break in between) must be submitted along with techno - commercial bid. Bids without copies of valid API 8C certificates or with a break in between will be rejected.
08	Annexure-II, A) Bid Rejection Criteria, AA1. Technical, Clause no. 1.0 (B.4)	Copies of valid API Spec 8C and API Q1 certificates of the OEM of their quoted product in line with para A.1 above	Copies of valid API Spec 8C certificates of the OEM of their quoted product in line with para A.1 above
Other Changes			
Srl No	Clause ref	Existing Document	Amendment
09	Annexure-V	BEC-BRC (TECHNICAL)	Revised BEC/BRC(Technical) is provided vide Revised Annexure-V (Page no 08 to 13 of this document)
10	Annexure-VI	TECHNICAL EVALUATION MATRIX (TECHNICAL SPECIFICATIONS)	Revised Technical Evaluation Matrix is provide vide Revised Annexure-VI (Page no 14 to 18 of this document)

TECHNICAL EVALUATION MATRIX (TO BE FILLED IN BY BIDDER DULY SIGNED)			
BID EVALUATION CRITERIA			
Clause Number	DESCRIPTION	BIDDER'S RESPONSE (Complied / Not Complied /Deviation/Not Applicable)	TO BE FILLED BY THE BIDDER Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence)
1.0	<p>Manufacturer's Experience:</p> <p>In case the bidder is a manufacturer of the offered item(s), then bidder must furnish the following documents along with the technical bid failing which the bids will be rejected</p>		
1.0 A.1	<p>The bidder should have minimum 5 years continuous experience of manufacturing of tendered item conforming to API 8C certification, PSL-2. For this purpose, the period reckoned shall be period prior to the date of original bid closing date of the tender. Copies of API 8C certificates, at PSL-2 having authorization for Casing Elevators for the last 5 (Five) years (i.e. continuous without having any break in between) must be submitted along with techno - commercial bid. Bids without copies of valid API 8C certificates or with a break in between will be rejected.</p>		
1.0 A.2	<p>The bidder should have manufactured and supplied minimum 50% quantity (to be rounded to next higher whole figure) of each type of tendered items, of same or higher capacity and same or higher sizes, to any E&P companies/Drilling</p>		

<p>Contractors/Drilling service providers during last 5 (five) years as on original bid closing date of the tender (either by themselves or through their sole selling agent / distributor / dealer / supply house).</p> <p>Documentary evidence in respect of manufacturing and supplying the above mentioned items should be submitted with the technical bid, in the form of copies of relevant signed and sealed Purchase Orders along with copies of any of the following documents in respect of satisfactory execution of each of those Purchase Orders failing which the bids will be rejected:</p> <ol style="list-style-type: none"> I. Signed and sealed Satisfactory supply/completion report (OR) II. Bill of Lading (OR) III. Consignee delivery receipt/challan (OR) IV. Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/Vat/GST. (OR) VI. Commercial Invoice/ Payment Invoice <p>Note: a) The Purchase Order date need not be within 05 (five) years preceding original bid closing date of this tender. However, the execution of supply should be within 05 (five) years preceding original bid closing date of this tender.</p> <p>b) Original Bid Closing Date shall be considered by OIL for evaluation of BRC Criteria in case of any extension of the original bid closing date.</p> <p>c) Satisfactory supply/completion/installation report should be issued on company's letterhead with signature and stamp. Originals to be produced for verification on demand of OIL.</p> <p>d) In case, for supplementing manufacturer's supply experience criteria, the manufacturer submits Purchase Order(s) and relevant documents which are through their sole selling agent/distributor/dealer/supply house, then following</p>		
--	--	--

	<p>additional documents are also to be submitted:</p> <p>Copies of signed Purchase Order(s)/ Contract agreement(s) between the manufacturer and the sole selling agent/distributor/dealer/supply house and copies of any of the following documents in respect of satisfactory execution of each of those Purchase Order(s)/Contract agreements(s).</p> <p>I. Bill of Lading (OR) II. Commercial Invoice/ Payment Invoice of the OEM (OR) III. Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/Vat/GST.</p>		
1.0 A.3	The bidder shall confirm that the equipment / products will be tested and certified as per API 8C, PSL-2.		
1.0 A.4	The bidder must keep API licenses along with authorization for API monogram valid till execution of purchase order and must confirm that the offered product will be supplied with API Monogram.		
1.0 A.5	In case renewal process of API license is in progress at the time of bidding, the manufacturer should furnish a letter from API to this effect that renewal of the license is under examination with API and is authorized to manufacture the items as per API license and to use API monogram till the renewal for license is issued. The bidder shall also submit an undertaking that delay in renewal of API certificate shall not affect the stipulated delivery schedule of the tender / purchase order		
1.0 A.6	Bidder quoted as manufacturer must guarantee uninterrupted supply of spares and availability of service for at least 10 years with effect from delivery of the Item / product for the item / product to be supplied under the Tender / Order, if order is awarded to them by OIL.		
1.0 A.7	Bidder should categorically confirm in the technical bid a delivery schedule within six (06) months, FOB Port of dispatch, after establishment of letter of credit (in case of foreign bidder) or for dispatch of the equipment within six (06) months after receipt of formal order (in case of indigenous bidder) failing which their offer will be rejected.		

1.0 A.8	If the bidder is a manufacturer and supplied minimum 50% quantity (to be rounded to next higher whole figure) of the tendered items to OIL in the last 5 (five) years as on original bid closing date either by themselves or through their sole selling agent / distributor / dealer / supply house) and whose past performance has been satisfactory, the bidder need not satisfy Clause A.2. In this situation the bidder shall have to indicate the Purchase Order (P.O.) No. of OIL in their technical bid.		
1.0 B	IN CASE THE BIDDER IS NOT A MANUFACTURER If the bidder is a sole selling agent / distributor / dealer / supply house of any manufacturer, then bidder must furnish the following documents along with the technical bid failing which the bids will be rejected		
1.0 B.1	Authorization certificate from the manufacturer (in original on manufacturer's letter head) should be submitted along with the technical bid. This certificate should be valid at the time of bidding and should remain valid during the entire execution period of the order		
B.2	Undertaking from the manufacturer (in original on manufacturer's letter head) guaranteeing supply of items to the bidder in the event of an order on the bidder. This certificate should be valid at the time of bidding and should remain valid during the entire execution period of the order.		
B.3	Warranty backup from the manufacturer in original on manufacturer's letter head against the quality of the tendered item(s) as specified in the tender.		
B.4	Copies of valid API Spec 8C certificates of the OEM of their quoted product in line with para A.1 above.		
B.5	Undertaking from the manufacturer (in original on manufacturer's letter head) guaranteeing uninterrupted supply of spares and availability of service for at least 10 years with effect from delivery of the Item / product for the item / product to be supplied under the Tender / Order, if order is awarded to them by OIL		
B.6	Documentary evidence in respect of manufacturing and supply experience as specified under para 1.0 (A.1 & A.2 or		

	A.8) from the concerned manufacturer (having supplied such items either by manufacturer themselves or through their sole selling agent / distributor / dealer / supply house) along with the techno-commercial bid.		
B.7	<p>Documentary evidence in respect of bidder's own supply experience of supplying minimum 50% quantity (to be rounded to next higher whole figure) of each type of tendered items, of same or higher capacity and same or higher sizes, to any E&P companies / Drilling Contractors / Drilling Service providers during last 5 (five) years as on original bid closing of the tender as specified. Documentary evidence in respect of supplying the above mentioned items should be submitted with the technical bid, in the form of copies of relevant signed and sealed Purchase Orders along with copies of any of the following documents in respect of satisfactory execution of each of those Purchase Orders failing which the bids will be rejected:</p> <p>I. Signed and sealed Satisfactory supply/completion report (OR) II. Bill of Lading (OR) III. Consignee delivery receipt/challan (OR) IV. Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/Vat/GST. (OR) VI. Commercial Invoice/ Payment Invoice</p> <p>Note: a) The Purchase Order date need not be within 05 (five) years preceding original bid closing date of this tender. However, the execution of supply should be within 05 (five) years preceding original bid closing date of this tender.</p> <p>b) Original Bid Closing Date shall be considered by OIL for evaluation of BRC Criteria in case of any extension of the original bid closing date.</p> <p>c) Satisfactory supply/completion/installation report should be issued on company's letterhead with signature and stamp. Originals to be produced for verification on demand of OIL.</p>		

	<p>d) In case, for supplementing the supply experience criteria for both itself and the manufacturer (B.7 & B.6), the sole selling agent/distributor/dealer/supply house of manufacturer submits same set of signed Purchase Order(s) and relevant documents, then following additional documents are also to be submitted:</p> <p>Copies of signed Purchase Order(s)/ Contract agreement(s) between the manufacturer and the sole selling agent/distributor/dealer/supply house and copies of any of the following documents in respect of satisfactory execution of each of those Purchase Order(s)/Contract agreements(s).</p> <p>I. Bill of Lading (OR) II. Commercial Invoice/ Payment Invoice of the OEM (OR) III. Central Excise Gate Pass/Tax Invoice issued under relevant rules of Central Excise/Vat/GST.</p>		
B.8	<p>Bidder should categorically confirm in the technical bid a delivery schedule within six (06) months, FOB Port of dispatch, after establishment of letter of credit (in case of foreign bidder) or for despatch of the equipment within six (06) months after receipt of formal order (in case of indigenous bidder) failing which their offer will be rejected</p>		
B.9	<p>If the bidder is sole selling agent / distributor / dealer / supply house of any manufacturer and have successfully supplied minimum 50% quantity (to be rounded to next higher whole figure) the tendered items to OIL in the last 5 (five) years as on original bid closing date and whose past performance has been satisfactory, the bidder need not satisfy Clause B.7 In this situation the bidder shall have to indicate the Purchase Order (P.O.) No. of OIL in their technical bid. However, this exemption shall be applicable only if the bidder has declared in the bid that they will be supplying the tendered item from the same manufacturer as per the last order supply.</p>		

**TECHNICAL EVALUATION MATRIX
(TO BE FILLED IN BY BIDDER DULY SIGNED)**

TECHNICAL SPECIFICATIONS

Clause Number	DESCRIPTION	BIDDER'S RESPONSE (Complied / Not Complied / Deviation / Not Applicable)	TO BE FILLED BY THE BIDDER Relevant Location of their Bid to support the remarks / compliance (Reference of Document name / Serial number / Page number of bid for documentary evidence)
Clause 1.0	<p>SIDE DOOR ELEVATOR FOR HANDLING 5.1/2" OD CASING, 250 TON CAPACITY - 6 Nos.</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 139.70 mm (5.1/2") OD Casing</p> <p>Special Requirements:</p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C – 6.3.7 (Table – 2).</p> <p>b) SR-1 Proof Load Test: The items (5.1/2 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C – Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are to be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C – Annex A.4 for all of the items should be submitted along with the supply.</p>		

<p>Clause 2.0</p>	<p>SIDE DOOR ELEVATOR FOR HANDLING 7" OD CASING, 250 TON CAPACITY, - 4 Nos.</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 177.80 mm (7") OD Casing.</p> <p>Special Requirements:</p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C – 6.3.7 (Table – 2).</p> <p>b) SR-1 Proof Load Test: The items (7 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C – Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C – Annex A.4 for all of the items should be submitted along with the supply.</p>		
<p>Clause 3.0</p>	<p>SIDE DOOR ELEVATOR FOR HANDLING 9.5/8" OD CASING, 250 TON CAPACITY, - 4 Nos.</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 244.475 mm (9.5/8") OD Casing.</p> <p>Special Requirements:</p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C – 6.3.7 (Table – 2).</p> <p>b) SR-1 Proof Load Test: The items (9.5/8 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C – Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS,</p>		

	<p>are be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C – Annex A.4 for all of the items should be submitted along with the supply.</p>		
Clause 4.0	<p>SIDE DOOR ELEVATOR FOR HANDLING 9.5/8" OD CASING, 250 TON CAPACITY, - 2 Nos.</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 250 Ton rated capacity, for handling 244.475 mm (9.5/8") OD Casing and for using in Top Drive Drilling Rig.</p> <p>NOV type SMX or Forum Energy Technologies type SLX-250 or equivalent.</p> <p>Special Requirements:</p> <p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C – 6.3.7 (Table – 2).</p> <p>b) SR-1 Proof Load Test: The items (9.5/8 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C – Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C – Annex A.4 for all of the items should be submitted along with the supply.</p>		
Clause 5.0	<p>SIDE DOOR ELEVATOR FOR HANDLING 13.3/8" OD CASING, 150 TON CAPACITY, - 6 Nos.</p> <p>Collar Type Side Door Elevator as per API 8C PSL-2, 150 Ton rated capacity, for handling 339.725 mm (13.3/8") OD Casing.</p> <p>Special Requirements:</p>		

	<p>a) PSL-2 components shall be fabricated from materials meeting the applicable requirements for ductility specified in API Specification 8C – 6.3.7 (Table – 2).</p> <p>b) SR-1 Proof Load Test: The items (13.3/8 INCHES OD CASING SIDE DOOR ELEVATORS) shall be given a proof load test and subsequently examined in accordance with 8.6.2 and should be marked "SR-1" accordingly near the load rating identification (API Specification 8C – Annex A.2). Test reports, verified by any one of the OIL's approved third party inspection agencies viz. Lloyds / BV / DNV / RITES / IRS, are to be submitted along with the supply. Bidder to categorically confirm the same in the technical bid</p> <p>c) SR-3 Data Book: The Manufacturer's Data Book as per API Specification 8C – Annex A.4 for all of the items should be submitted along with the supply.</p>		
	GENERAL NOTES TO BIDDERS		
1	The items shall be brand new, unused & of prime quality. Bidder shall warrant (in the event of an order) that the product supplied will be free from all defects & fault in material, workmanship & manufacture and shall be in full conformity with ordered specifications. This clause shall be valid for 18 months from date of despatch/shipment or 12 months from the date of commissioning whichever is earlier. The defective materials, if any, rejected by us shall be replaced by the supplier at their own expense. Bidders must confirm the same while quoting.		
2	The Bidder should indicate the dimensions and weight of the offered item, the name of the manufacturer, the country of origin, port of dispatch of the materials and their best delivery schedule.		
3	Bidder must provide detailed specifications of the offered products and should forward relevant Catalogue, Drawing, and Literature (in printed form, not in computer media such as floppies or CDs) indicating the quoted items along with the quotation		
4	The items are to be manufactured as per API spec 8C , PSL-2 and bidders are required to forward valid API 8C specification certificate along with the quotation		
5	In the event of order, the supply must include the mill test certificates as per API recommended procedures for the item. Bidder should categorically confirm while quoting.		
6	Necessary testing and marking shall be done as per API Spec. 8C PSL-2. Additionally purchase order number and manufacturer's		

	names have to be die stamped on the items.		
7	Bidder should forward a list of recommended spares for two (02) years operation for the quoted items indicating part numbers, quantity & unit price separately along with the quotation in the commercial bid and categorically confirm the same in the technical bid (price should not be mentioned in the technical bid). However the cost of these spares will not be considered for bid evaluation purpose. The price should remain valid for at least two (02) years		
8	Any deviation(s) from the tender specification should be clearly highlighted specifying justification in support of deviation		
9	The bidder should forward 5 (five) copies of Operation, service & maintenance manual (indicating assembling & disassembling procedures), drawing and spare parts book having illustrated drawings and exploded views of the items with part numbers in the event of an order place upon them with the consignment.		
10	Bidder to sign and submit completely filled up Technical check list and Technical Evaluation Matrix for Bid evaluation criteria and Technical specification.		
11	Additional charges, if any towards third party inspection must be inclusive in bidder's quoted cost.		