

OIL INDIA LIMITED
(A GOVT. OF INDIA ENTERPRISE)
CONTRACTS DEPARTMENT, DULIAJAN
DISTRICT: DIBRUGARH (ASSAM), PIN-786602
TEL: (91) 374-2800548, FAX: (91) 374-2803549
E-mail ID: contracts@oilindia.in
Website: www.oil-india.com

**AMENDMENT NO. 5 DATED 25.10.2023 TO TENDER NO. CDG3942P24
FOR 'CHARTER HIRE OF 01 (ONE) NO. OF 3000 HP DRILLING RIG PACKAGE
WITH AN OPTION FOR HIRING 01 ADDITIONAL RIG PACKAGE'**

This Amendment to Tender No. **CDG3942P24** is issued to notify about the following:

Amendments to a few tender clauses are stipulated vide **ANNEXURE-I** enclosed herewith.

All other Terms and Conditions of the Tender/Bid Document will remain unchanged.

Sd/-

(Z. Das)

Sr. Officer-Contracts(G)

For Chief General Manager-Contracts

AMENDMENTS TO CLAUSES OF TENDER NO. CDG3942P24

Sl No.	Section/Clause No./Page No.	Original Clause	Amended Clause
INSTRUCTION TO BIDDERS			
1)	Clause no. 31.4 (Page 23 of 478 of tender document)	Bidders may contact the Independent External Monitors for any matter relating to the IFB at the following addresses: a) Shri Ram Phal Pawar, IPS (Retd); E-mail: rpawar61@hotmail.com b) Dr. Tejendra Mohan Bhasin, Former Vigilance Commissioner, CVC E-mail : tmbhasin@gmail.com c) Shri Om Prakash Singh, IPS (Retd.), Former DGP, Uttar Pradesh, E-mail: Ops2020@rediffmail.com	Bidders may contact the Independent External Monitors for any matter relating to the IFB at the following addresses: a) Shri Ram Phal Pawar, IPS (Retd); E-mail: rpawar61@hotmail.com b) Dr. Tejendra Mohan Bhasin, Former Vigilance Commissioner, CVC E-mail : tmbhasin@gmail.com c. Shri Ajit Mohan Sharan, IAS (Retd.), Former Secretary, Ministry of Ayush, Govt. of India, Email ID: ams057@gmail.com
PART-2, BID EVALUATION CRITERIA			
2)	Sl. No. iii. Of Clause no. 9.1 (Page 46 of 478 of tender document)	M/s. Germanischer Llyod Industrial Services GmbH (DNV GL- Oil & Gas) Contact email ID: mangesh.gaonkar@dnvgl.com	M/s. DNV Inspection India Pvt. Ltd. Contact email ID: a. amr.el-shirbini@dnv.com b. sherif.helmy@dnv.com c. raikar.rajesh@dnv.com
PART-3, SECTION-II: SOW/TOR			
3)	5.1 GROUP – I A) MAST AND SUBSTRUCTURE: Point no. 4.	Heavy duty Racking Platform with a Capacity for racking in combination of at least 279 stands 5½" (or including 50 stands of 5") drill pipe, 20 stands of HWDP and 10 stands of 3½" to 9½", drill collars	Heavy duty Racking Platform with a Capacity for racking in combination of at least 240 stands 5½" (or including 50 stands of 5") drill pipe, 20 stands of HWDP and 10 stands of 3½" to 9½", drill collars

AMENDMENT NO. 5/CDG3942P24

Sl No.	Section/Clause No./Page No.	Original Clause	Amended Clause
	(Page 94 of 478 of tender document)	and 2 stands of 11" drill collars. The length of each single will be in the range 9.14 M to 9.44 M (30 ft to 31 ft) & hence the thribbles length will be 27.43 M to 28.35 M (90 ft to 93 ft).	and 2 stands of 11" drill collars. The length of each single will be in the range 9.14 M to 9.44 M (30 ft to 31 ft) & hence the thribbles length will be 27.43 M to 28.35 M (90 ft to 93 ft). <i>(The above amendment shall also apply to the clause in Proforma- Technical Specification Evaluation Matrix)</i>
4)	5.1 GROUP – I C) ROTARY TABLE AND ACCESSORIES: Point no. 1. (Page 97 of 478 of tender document)	Rotary table as per API Spec. 7K with minimum 37½" opening and static load capacity of 680 MT, complete with the following. All required accessories shall be provided by the Contractor. The rotary table shall have independent rotary drive unit powered by electric motor or Hydraulic Pump.	Rotary table as per API Spec. 7K with minimum 37½" opening and static load capacity of 680 MT, complete with the following. All required accessories shall be provided by the Contractor. The rotary table shall have independent rotary drive unit powered by electric motor or Hydraulic Pump with minimum torque handling capacity of 32000 ft-lbs at 90 rpm. <i>(The above amendment shall also apply to the clause in Proforma- Technical Specification Evaluation Matrix)</i>
5)	5.2.2 B) DRILL COLLARS & HEAVY WEIGHT DRILL PIPE: Point no. 6. (Page 114 of 478 of tender document)	Thirty (30) nos. 5-1/2" OD, 3-1/4" ID, approx. 60 PPF, 30-31 ft. long having 7" OD x 3- 1/4" ID Tool Joints "Conventional heavy-weight (thick wall)" drill pipes with Double Shoulder Tool Joint (DSTJ) or XT57 box-up & pin down connection.	Thirty (30) nos. 5-1/2" OD, 3-1/4" ID, approx. 60 PPF, 30-31 ft. long having 7" OD x 3- 1/4" ID Tool Joints "Conventional heavy-weight (thick wall)" drill pipes with Double Shoulder Tool Joint (DSTJ) , XT57 or XT54 box-up & pin down connection. However, bidder should provide the requisite cross over /adaptor subs compatible with the drill string.

AMENDMENT NO. 5/CDG3942P24

Sl No.	Section/Clause No./Page No.	Original Clause	Amended Clause
			<i>(The above amendment shall also apply to the clause in Proforma- Technical Specification Evaluation Matrix)</i>
6)	(Page 115 of 478 of tender document)	New note	<p>NOTE to A, B, C & D: Contractor shall keep sufficient backup of the above-mentioned tubulars/tools and replenish the same from time to time to cater any shortfall arising out of NDT rejection, damaged or lost in hole situation. It is the contractor's responsibility to maintain sufficient stock and ensure uninterrupted services at all time.</p> <p>Company at its discretion may provide item/equipment/accessories /tools to the contractor in exceptional cases only on rental basis subject to availability and will be guided as per the clause 2.4.2 of SCC.</p> <p><i>(The above amendment shall also apply to the clause in Proforma- Technical Specification Evaluation Matrix)</i></p>
PART-3, SECTION-III: SCC			
7)	2.0 MOBILIZATION: 2.4.2 (v) (Page 155 of 478 of tender document)	In the event the rented item / equipment / accessories / tools are not returned by Contractors within the specified period of three months, the rental charges would increase by 1.5 times. For next three months, rental charges would be 1.5 times the rental charges of the first three months. Rental charges in any quarter would be 1.5 times the rental charges of the previous quarter	In the event the rented item / equipment / accessories / tools are not returned by Contractors within the specified period of three months, the rental charges would increase by 1.5 times. For next three months, rental charges would be 1.5 times the rental charges of the first three months. Rental charges in any quarter would be 1.5 times the rental charges of the previous quarter and will continue/repeat but limited to total cumulative deductions of each

AMENDMENT NO. 5/CDG3942P24

Sl No.	Section/Clause No./Page No.	Original Clause	Amended Clause
			individual item to a maximum of twice the original price of the rented items. The price of the item will be based on Company's determined cost
8)	16.1 iii TIME FOR REPLACEMENT OF TUBULARS IN THE EVENT OF FISH AND LIH: (Page 172 of 478 of tender document)	Contractor shall replace the lost in hole tubulars within six months from the date on which OIL notifies end of fishing operation or within six months from the date of NDT report (To be completed within 01 month from the end of fishing operation) for the recovered tubulars if applicable. Any delay in replacement of tubulars beyond six months will be treated as short supply and will be guided as per the Clause 2.4 and its sub-clauses of SCC. During the period, Company at its discretion may provide item / equipment / accessories / tools to Contractor in exceptional cases only on rental basis subject to availability and will be guided as per the Clause 2.4 and its sub-clauses of SCC after six months. Note: Contractor shall submit an undertaking stating that it will make a suitable arrangement for 100 % backup for Drill Collars and HWDP of all sizes & specifications mentioned in the SoW along with X-over subs in a readily available condition as and when required basis.	DELETED
9)	31 PENALTIES: 4b. Waste Management System (Page 187 of 478 of tender document)	Zero-rate will be applicable if OIL decides not to continue operation due to non-function of the ETP and/or VCD. However, if OIL decides to continue operation without ETP and/or VCD and/or operation of the ETP/VCD not meeting the scope fully (as per Annexure: Waste Management under Scope of work), then all day rates during the first five (5) days will be slashed to 90% of respective	Zero-rate will be applicable if OIL decides not to continue operation due to non-function of the ETP and/or VCD. However, if OIL decides to continue operation without ETP and/or VCD and/or operation of the ETP/VCD not meeting the scope fully (as per Annexure: Waste Management under Scope of work), then all day rates during the first five (5) days will be slashed to 90% of respective

AMENDMENT NO. 5/CDG3942P24

Sl No.	Section/Clause No./Page No.	Original Clause	Amended Clause
		day rates. Beyond five (5) days the rates will be further slashed to 80% of respective day rates till ETP is fully functional	day rates. Beyond five (5) days the rates will be further slashed to 80% of respective day rates till ETP or VCD is fully functional.
PROFORMAS, ANNEXURES, APPENDICES, ETC.			
10)	Annexure: Waste Management Clause no. 1.0 (Page 269 of 478 of tender document)	<p>1.0 SCOPE OF WORK In case the bidder does not have the waste management services of their own, they can have pre-tender tie-up with other service providers/Third Party. However, the bidder should execute a notarized MOU/ Agreement valid for entire duration of the contract including extension, if any and should be furnished along with the Technical Bid clearly referring to OIL's tender document number & indicating the scope of work for technical partner of the bidder. Notwithstanding the MOU, bidder shall clearly undertake the single point responsibility of completing the project as offered by the bidder.</p> <p>DOCUMENTARY EVIDENCE Bidder or Third Party should have experience of providing the Vertical cuttings dryer as well as well as recycle package and must furnish documentary evidence in support of establishing the same with relevant Contract/Agreement copy along with additional documentary evidence as stated below: a. Documents such as satisfactory completion certificate OR</p>	<p>1.0 SCOPE OF WORK In case the bidder does not have the waste management services of their own, they can have pre-tender tie-up with other service providers/Third Party. However, the bidder should execute a notarized MOU/ Agreement valid for entire duration of the contract including extension, if any and should be furnished prior to mobilization of the Rig clearly referring to OIL's tender document number & indicating the scope of work for technical partner of the bidder. Notwithstanding the MOU, bidder shall clearly undertake the single point responsibility of completing the project as offered by the bidder.</p> <p>DOCUMENTARY EVIDENCE: Deleted</p> <p><i>(The above amendment shall also apply to the clause in Proforma- Technical Specification Evaluation Matrix)</i></p>

AMENDMENT NO. 5/CDG3942P24

Sl No.	Section/Clause No./Page No.	Original Clause	Amended Clause
		<p>Performance report issued by the client(s) clearly mentioning Contract/Agreement No. or with any other documents that can substantiate completion of the executed job in case completed contract.</p> <p style="text-align: center;">OR</p> <p>b. Documents such as mobilization completion notice, LOA, Daily Progress Report/ service ticket in case of running contract.</p>	
11)	Annexure: Waste Management Clause no. 1.1.2.2 VERTICAL CUTTINGS DRYER EQUIPMENT (viii) (Page 270 of 478 of tender document)	Screen should be Chrome-Hardened Profile Wire.	<p>Screen should be Chrome-Hardened Profile Wire. Various screen sizes with minimum size of 250 micron should be provided for handling different sizes of cuttings.</p> <p><i>(The above amendment shall also apply to the clause in Proforma- Technical Specification Evaluation Matrix)</i></p>
12)	Annexure: Waste Management Clause no. 1.1.2.2 VERTICAL CUTTINGS DRYER EQUIPMENT (xxi)	Catch/Containment tank must be available for collecting the fluid output from the VCD for feeding the same to a Decanter Centrifuge.	Catch/Containment tank must be available for collecting the fluid output from the VCD for feeding the same to a Decanter Centrifuge. The catch tank should be fitted with agitator with minimum dimension of 20 ft x10ft x 3ft.

AMENDMENT NO. 5/CDG3942P24

Sl No.	Section/Clause No./Page No.	Original Clause	Amended Clause
	(Page 271 of 478 of tender document)		<i>(The above amendment shall also apply to the clause in Proforma- Technical Specification Evaluation Matrix)</i>
