



OIL INDIA LIMITED  
(A Government of India Enterprises)  
Pipeline Headquarter, Narengi, Assam (India)

Email: [papari\\_borah@oilindia.in](mailto:papari_borah@oilindia.in)  
[erp\\_mm@oilindia.in](mailto:erp_mm@oilindia.in)

TENDER NO. SGI3681P24/3C

DATE: 12.06.2023

**INVITATION TO e-BID UNDER SINGLE STAGE COMPOSITE BID SYSTEM**

Dear Sirs,

The complete bid documents and details for purchasing bid documents, participation in tenders are available on OIL's e-procurement portal <https://etender.srm.oilindia.in/irj/portal> as well as OIL's website <https://www.oilindia.com/>

**NOTE: All addenda, Corrigenda, time extension etc. to the tenders will be hosted on above website and e-portal only. Bidders should regularly visit above website and e-portal to keep themselves updated.**

OIL invites Bids for the supply of **FURNITURES** through its e-Procurement site under **Local Competitive Bidding (LCB) - Single Stage Composite Bid System**. The bidding documents and other terms and conditions are available at Booklet No.MM/LOCAL/E-01/2005. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed by opening the Rfx [Tender no.] under Rfx and Auctions page. The details of items tendered can be found under Item tab and details can be found under Technical RFX.

The tender is invited with firm price for the specified quantity. Further details of tender are given in Technical Attachments under Rfx Information tab as **ANNEXURE IA**.

**THE TENDER WILL BE GOVERNED BY:**

- a) "General Terms & Conditions" for e-Procurement as per Booklet No. MM/LOCAL/E-01/2005 for E-procurement (Indigenous Tenders). Special attention to the bidders is drawn to Section – E of the document.
- b) Technical specifications, Quantity and Notes for **FURNITURES** as per **Annexure – IA**.
- c) The prescribed Bid Forms for submission of bids are available in the Technical Rfx -> External Area - > Tender Documents. Technical Checklist and Commercial Checklist must be filled-up and submitted along with the technical bid.
- d) Amendments to the NIT after its issue will be published on OIL's website only. Revision, clarification, addendum, corrigendum, time extension etc. to the tender will be hosted on

OIL website only. No separate notification shall be issued in the press. Prospective bidders are requested to visit website regularly to keep themselves updated.

- e) Any sum of money due and payable to the contractor (including Security Deposit refundable to them) under this or any other contract may be appropriated by Oil India Limited and set-off against any claim of Oil India Limited (or such other person or persons contracting through Oil India Limited) for payment of sum of money arising out of this contract or under any other contract made by the contractor with Oil India Limited (or such other person or persons contracting through Oil India Limited).
- f) Bidder are advised to fill up the Technical bid check list (Annexure EEE) and Response sheet (Annexure FFF) given in MS excel format in Technical RFx -> External Area ->Tender Documents. The above filled up document to be uploaded in the Technical Attachment. For details please refer “Vendor User Manual” / “NEW INSTRUCTIONS”
- g) A certificate issued by a practicing Chartered/Cost Accountant (with Membership Number and Firm Registration Number), certifying the Annual turnover & Net worth as per format prescribed in “Annexure CA Certificate”. The same must be submitted along with the bid.

**SPECIAL NOTE:**

- 1.0 Please note that all tender forms and supporting documents are to be submitted through OIL’s e-Procurement site only except following documents which are to be submitted manually in sealed envelope super scribed with Tender no. and due date to Office of Dy. General Manager - Materials (PL), Oil India Limited, Pipeline Headquarters, Narangi, P.O. Udayan Vihar, Dist. Kamrup(Metro), Assam, Pin-781171 on or before **13:00 Hrs (IST)** on the Bid Closing Date mentioned in the Tender.
  - a) Detailed Catalogue.
  - b) Any other document required to be submitted in original as per tender requirement.
- All documents submitted in physical form should be signed on all pages by the authorised signatory of the bidder and to be submitted in triplicate.
- 2.0 Bidders are requested to examine all instructions, forms, terms and specifications in the bid. Failure to furnish all information required as per the NIT or submission of offers not substantially responsive to the bid in every respect will be at the bidder’s risk and may result in rejection of its offer without seeking any clarifications.
- 3.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. As part of the new system, the intending bidder must have Encryption Certificate along with Digital Signature Certificate (DSC) of Class III [Organization]. The date for implementation of new system is 12th April 2017 and the requirement of the new DSC will be applicable for the tenders floated on 12th April 2017 onwards. All our current and prospective esteemed bidders are therefore requested to acquire Class III DSC [Organization] along with Encryption Certificate issued by any of the Licensed Certifying Authorities (CA) operating under Controller of Certifying Authorities (CCA) of India as per Indian IT Act 2000. Guideline for getting Digital Signature and other related information are available on the e-tender website [www.oil-india.com](http://www.oil-india.com). The bid signed using any other digital certificate or digital certificate without organization name of the bidder, will be liable for rejection.

- 4.0 Encryption certificate is mandatorily required for submission of bid. In case bidder created response using one certificate (using encryption key) and bidder subsequently changes the digital signature certificate then the old certificate (used for encryption) is required in order to decrypt his encrypted response for getting the edit mode of his response. Once decryption is done, the bidder may use his new DSC certificate for uploading and submission of his offer. It is the sole responsibility of the bidder to keep their DSC certificate properly. In case of loss of DSC certificate, Oil India Limited is not responsible.
- 5.0 Bidders must ensure that their bid is uploaded in the system before the tender closing date and time. Also, they must ensure that above documents which are to be submitted in a sealed envelope are also submitted at the above mentioned address before 13:00 Hrs (IST) on the bid closing date failing which the offer shall be rejected.
- 6.0 **Composite Bid System** shall be followed for this tender and both the bids technical & price will be opened on the same day.
- 7.0 Benefits to Micro & Small Enterprises (MSEs) as per OIL's Public Procurement Policy for Micro and Small Enterprises (MSEs) shall be given. Bidders are requested to go through MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders for more details.
- 8.0 Please ensure that Technical Bid / all technical related documents related to the tender are uploaded in the Technical Attachments under Rfx Information tab only. The "TECHNO-COMMERCIAL UNPRICED BID" shall contain all techno-commercial details except the prices. **Please note that no price details should be uploaded in Technical RFX Response.**
- 9.0 The "PRICE BID" must contain the price schedule and the bidder's commercial terms and conditions. **The prices of the items should be quoted in "Notes and Attachments" tab as per the Price Bid Format uploaded.**
- 10.0 The tender shall be governed by the Bid Rejection & Bid Evaluation Criteria given in enclosed Annexure-CCC. However, if any of the Clauses of the Bid Rejection Criteria / Bid Evaluation Criteria (as per Annexure-CCC) contradict the Clauses of the tender and/ or "General Terms & Conditions" as per Booklet No. MM/LOCAL/E-01/2005 for E-Procurement of Indigenous Tenders elsewhere, those in the BEC / BRC shall prevail.
- 11.0 To ascertain the substantial responsiveness of the bid OIL reserves the right to ask the bidder for clarification in respect of clauses covered under BRC also and such clarifications fulfilling the BRC clauses in toto must be received on or before the deadline given by the company, failing which the offer will be summarily rejected.
- 12.0 Please refer BEC/BRC under "BEC-BRC" applicable against this tender. Please ensure compliance to BEC/BRC and submit requisite documentation, failing which offer may be liable for rejection.
- 13.0 OIL INDIA LIMITED (OIL) has upgraded its E-tender Portal. All the bidders are requested to go through the following document before uploading their bid. This document is also uploaded as part of NIT.

- 14.0 Bidders should fill-up and submit alongwith their bid an UNDERTAKING towards authenticity of information/documents furnished by them, as per enclosed ANNEXURE-K.
- 15.0 The applicable GST on the Liquidated Damage if any, shall have to be borne by the seller. Accordingly, the Liquidated Damage shall be recovered from the seller along with applicable GST.
- 16.0 For convenience of the qualified Bidders and to improve transparency, the rates/costs quoted by bidders against OIL's e-tenders shall be available for online viewing by such Bidders whose price bids are opened by Company. A Bidder can view item-wise rates/ costs of all other such peer bidders against the tender immediately after price bid opening, if the e-tender is floated by Company with PRICE CONDITION. In case the Price-Bid is invited by Company through attachment form under "Notes & Attachment" (i.e., NO PRICE Condition), Bidders must upload their detailed Price-Bid as per the prescribed format under "Notes & Attachment", in addition to filling up the "Total Bid Value" Tab taking into account the cost of all individual line items and other applicable charges like freight, tax, duties, levies etc. Under NO PRICE Condition (i.e., Price Bid in attachment form), the "Total Bid Value" as calculated & quoted by the Bidder shall only be shared amongst the eligible bidders and Company will not assume any responsibility whatsoever towards calculation errors/ omissions therein, if any. Notwithstanding to sharing the "Total Bid Value" or the same is whether filled up by the Bidder or not, Company will evaluate the cost details to ascertain the interse-ranking of bidders strictly as per the uploaded attachment and Bid Evaluation Criteria only. Online view of prices as above shall be available to the Bidders only upto seven days from the date of Price-Bid opening of thee-tender.
- 17.0 **DISCLAIMER:** Rates/Costs shown above are as calculated/quoted by the respective Bidder. Company does not assume any responsibility and shall not be. liable for any calculation error or omissions. However, for placement of order/award of contract, Company shall evaluate the cost details to determine the inter-se ranking of Bidders strictly as per their Price-Bids and Bid Evaluation Criteria of the Tender. OIL INDIA LTD accepts no liability of any nature resulting from mismatch of "Total Bid Value" & price submitted under "Notes & Attachment" by any bidder and no claim whatsoever shall be entertained thereof.

Yours faithfully,

OIL INDIA LIMITED

Sd/-

(Papri H. Borah)  
Sr. Purchase Officer (PL)  
FOR DGM-MATERIALS  
FOR EXECUTIVE DIRECTOR PLS

## Annexure-1A

ITEM SL. NO.	MATERIAL CODE	MATERIAL DESCRIPTION	QUANTITY	DELIVERY LOCATION	SPECIFICATION
10	OC000218	OFFICE TABLE	1	GUWAHATI, ASSAM	Description: Office Table, Model: Finesse 6030, Specification : W x D x H : 1800 x 900 x 740
20	OC000219	OFFICE CHAIR	3		Description: Office Chair, Description: Office Chair, Model: Premium Executive 7001 High Back Chair
30	OC000220	PEDESTAL	2		Description: Pedestal, Make: Godrej or equivalent, Model: Mayfair Pedestal, Specification : W x D x H : 390 x 435 x 529
40	OC000221	PLASTIC CHAIR	30		Description: Plastic Chairs, Make: Nilkamal or Equivalent, Model: 2135
50	OC000628	WASTEBIN	50		Description: Wastebin, Make: Nilkamal or Equivalent, Model: With Wheels, Specification : 120 Ltrs (with wheels), Colour : Green (25nos.):Blue (25nos.)
60	OC000186	FILING CABINET	1	GUWAHATI, ASSAM	Model: 2Drawer Filing Cabinets, Specification: It should have rigid knock down construction made of CRCA. Panel Thickness: Top side and drawer front 0.7mm. Frames, Drawer- inside cover,side back side 0.6mm.back,bottom and drawer bottom-0.5mm.The drawer front should have easy to grip full length handle recess integrated into metal drawer fronts. The filing cabinet should also have snap on type label holder on drawer front. It should have centralized locking with 10 lever cam lock and have anti tipping arrangement to ensure that when one drawer is opened for use, it doesnt allow other drawers to be opened. The drawers should be mounted on high quality precision ball slides. The uniformly distributed load capacity of drawers should be 40 kg for 75000 cycles. It should have plain triangular plate pop riveted at bottom corner for rigidity. Accessories like drawer partition and cradle for hanging A4 files front to back should be there. Epoxy powder coated finish of thickness 50 microns (+/-10 ). Dimension: 710H x 470W x 620D.
70	OC000186	FILING CABINET	2		Model: 4Drawer Filing Cabinets, Specification: It should have rigid knock down construction made of CRCA. Panel Thickness: Top side and drawer front 0.7mm. Frames, Drawer- inside cover,side back side 0.6mm.back,bottom and drawer bottom-0.5mm.The drawer front should have easy to grip full length handle recess integrated into metal drawer fronts. The filing cabinet should also have snap on type label holder on drawer front. It should have centralized locking with 10 lever cam lock and have anti tipping arrangement to ensure that when one drawer is opened for use, it doesnt allow other drawers to be opened. The drawers should be mounted on high quality precision ball slides. The uniformly distributed load capacity of drawers should be 40 kg for 75000 cycles. It should have plain triangular plate pop riveted at bottom corner for rigidity. Accessories like drawer partition and cradle for hanging A4 files front to back should be there. Epoxy powder coated finish of thickness 50 microns (+/-10 ). Dimension: 1320mmhx470mmDx620mmD.
80	OC000186	FILING CABINET	1		Model: 4Drawer Filing Cabinets, Specification: It should have rigid knock down construction made of CRCA. Panel Thickness: Top side and drawer front 0.7mm. Frames, Drawer- inside cover,side back side 0.6mm.back,bottom and drawer bottom-0.5mm.The drawer front should have easy to grip full length handle recess integrated into metal drawer fronts. The filing cabinet should also have snap on type label holder on drawer front. It should have centralized locking with 10 lever cam lock and have anti tipping arrangement to ensure that when one drawer is opened for use, it doesnt allow other drawers to be opened. The drawers should be mounted on high quality precision ball slides. The uniformly distributed load capacity of drawers should be 40 kg for 75000 cycles. It should have plain triangular plate pop riveted at bottom corner for rigidity. Accessories like drawer partition and cradle for hanging A4 files front to back should be there. Epoxy powder coated finish of thickness 50 microns (+/-10 ). Dimension: 1320mmhx470mmDx620mmD.
90	OC000218	OFFICE TABLE	1	GUWAHATI, ASSAM	Description: Office Table (L-shaped), Make: Godrej or equivalent, Model: Trident Middle, Specification : (1650 x 700 x 743 [Main Desk] 1000 x 450 x 743 [ERU])
100	OC000218	OFFICE CHAIR	1		Description: Office Chair (High back), Make: Godrej or equivalent, Model: Marvel High Back Chair
110	OC000218	VISITOR CHAIR	3		Description: Visitor Chair, Make: Godrej or equivalent, Model: Marvel Visitor Chair
120	OC000524	SOFA SET (3+1+1) FOR CGM (MM) OFFICE	1	GUWAHATI, ASSAM	Sofa Set (3+1+1) Make: Godrej Parto, Encardo or equivalent Specification: 1. For 3-seater sofa 2.1 Dimensions (in cms) (+/-12 Cms): W 80 X D 85 X H 80 2.2 Seat Height (in cms) (+/-6 Cms): 45 cm 2.3 Primary Material: Solid Wood 2.4 Upholstery Material: Leatherette 3. Warranty: Minimum 12 months from the date of installation.
130	OC000083	CHAIR	1	GUWAHATI, ASSAM	CHAIR GODREJ/EQUIVALENT Dimensions W x H x D (cm): 76.1 x 113.6-131.1 x 76.1 Upholstery Material Leather Finish Color Black Seat Height (cm): 44.1-54.1 Certifications GreenGuard, Indoor Advantage Net Weight (kg): 22.5
140	OC000565	OFFICE TABLE	1		Godrej/ Equivalent Dimensions W x H x D (cm): 120-235 x 60-180 x 60-195 Finish Color Multiple Color Options Frame Material Prelaminated Twin Particle Board Table Top Material MDF & Prelaminated Twin Particle Board Delivery Condition Knockdown Warranty: 1 Year Country Of Origin India Office Chair Godrej Premier or similar
150	OC000083	CHAIR	10	GUWAHATI, ASSAM	Minimum Specification: Dimensions W x H x D (cm): 55 x 80.5 x 61 Finish Color: Black Seat Height (cm): 43 Upholstery Material: Fabric
160	OC000083	OFFICE TABLE	1	GUWAHATI, ASSAM	1. Wooden table 2. Dimension: Minimum (L)1400mm X (D)700mm X (H)750mm 3. Number of Drawers: Minimum 3nos. 4. Number of Shelves: minimum 1 no. 5. Similar to Model DWS/34757 of Durian
170	OC000218	OFFICE CHAIR	1		1. Dimension: Minimum (W)595mm X (D)670mm X (H)1125mm 2. The chair shall have Armrest, Locking Mechanism, Recline, Adjustable Seat Height, Swivel, Wheels 4. Similar to Model MARVEL/ MB of Durian

180	OC000565	CONFERENCE TABLE WITH CHAIRS	1	NUMALIGARGH, ASSAM	<p>8 seater conference table with 8 chairs:            Make: Godrej Interio (or) Equivalent            Table Dimensions: Width x Height x Depth (cm): 235 x 115 x 74            Frame Material: Prelaminated Twin Particle Board            Table Top Material: MDF            Chair            Dimension: Width x Depth (cm): 76.3 x 76.3            Height: 117.5 - 129.5 cm            Seat Height: 41.0 - 53.0 cm            Material: Moulded Polyurethane Foam with suitable upholstery covering material.            Chair for control room: Make: Godrej Interio (or) Equivalent            1) Dimensions: Width x Height x Depth (cm): 76.1 x 98 - 108 x 76.1            2) Primary Material: Glass Filled Nylon            3) Upholstery Material: Knitted Fabric            4) Seat Height (cm): 45.5-55.5            5) Wheels Included: Yes</p>
190	OC000083	CHAIR FOR CONTROL ROOM	1		
200	OC000186	FILE ORGANIZER DRAWER	3		
210	OC000565	CENTER TABLE	1		
220	OC000031	WOODEN BED WITH MATTRESS	5	DULIAIAN, ASSAM	<p>GODREJ Finnesse ERU-5216 or MODI MAKE OR similar            ERU SIZE: 1550 x 520 x 705. Top and Side Panel: 25 mm thk plain particle board (PPB) clad with 0.6mm thk post formed laminate and 1mm thk backing laminate. Flat edge duly sealed with 2mm thk PVC beading. Modesty: 18mm thk plain particle board (PPB) clad with 1.0 mm thk decorative laminate (DL) on both sides. Edge sealed with 2mm thk PVC beading.            THE FURNITURE ITEM "CENTRE TABLE" SHOULD BE MADE OF PREFERABLY A/B CLASS WOOD WITH PROPER WOOD PRIMING, PAINTING AND POLISHING ETC.,            SIZE OF TABLE: L:1067MM, B:610MM THE TABLE SHOULD BE PROVIDED WITH 8MM THICKNESS GOOD QUALITY GLASS.            PAINTING: BLACK/BROWN COLOR ONLY.            WOODEN LETTO BED (SINGLE) WITH MATTRESS            Reinforced by iron pipe frame            Model : Adriana Single of make Godrej or equivalent.            Dimension(mm) : L-78" x B-36";            SPRING MATTRESS OF MAKE NILKAMAL, KURLON Ltd. AND EQUIVALENT.            Dimension: L-78" x B-36" x H-6"            SLOTTED ANGLE RACK 5/6 SHELVES            SIZE: 78" x 36" x 15"</p>
230	OC000218	SLOTTED ANGLE RACK	6		
240	OC000565	OFFICE TABLE PS3 MM WORKSHOP	1		<p>EXECUTIVE TABLE            Brand:GODREJ INTERIO Enterprise 1500, Featherlite vm-t 1575 or Equivalent            Storage: Two side            Total Number of Storage Units: Triple storage on one side and double/triple on the other            Table Top Material and Thickness (+/- 2 mm): 18 mm thick pre laminated Particle Board            Pedestal (Under structure) Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick            Table Top Length +/-10(mm) 1500 millimeter            Table Top Width +/-10(mm) 650-750 millimeter            Table Height +/- 5(mm) 700-750 millimeter            Storage Unit and Drawer Units Material 0.6 mm M S Sheet            Depth of Storage Unit +/-10(mm) 500-700 millimeter            Width of Locker / Cupboard type Storage unit 320-360 mm            Depth of Locker / Cupboard type Storage unit 550-600 mm            WARRANTY PERIOD IN NUMBER OF YEARS: 1</p>
250	OC000462	RACK PS3 MM WORKSHOP	4		<p>Lotted Angle Steel Rack ( Brand : Godrej or Equivalent)            Overall height ±3mm 1700-2000 millimetre            Overall width ±3mm 915-950 millimetre            Overall depth ±2mm 410-450 millimetre            No. of Shelves : 5 Nos.            Open at front and back side            Warranty period in number of years : 01</p>
260	OC000565	STUDY TABLE FOR BACHELOR	2		<p>Study Table ( Brand : Godrej Uno or Equivalent)            Minimum Technical Specifications            1. Dimensions W x H x D (cm): 100.1 x 71.9 x 48            2. Number of Drawers: 1            3. Warranty: 1 Year</p>
270	OC000524	SOFA SET (3+1+1) FOR BHUGDOI CLUB	1		<p>Sofa Set (3+1+1) for Bhugdoi Cub (Make: Godrej Parto, Encardo or equivalent)            Specification            1. For 3-seater sofa            1.1 Dimensions (in Inches): H 28.7 x W 68.9 x D 34.2;            1.2 Seating Height-18.5            1.3 Primary Material: Solid Wood            1.4 Upholstery Material: Leatherette            2. For 1-seater sofas            2.1 Dimensions (in Inches): H 28.7 x W 36.2 x D 34.2;            2.2 Seating Height-18.5            2.3 Primary Material: Solid Wood            2.4 Upholstery Material: Leatherette            3. Warranty: 1 year</p>
280	OC000129	CENTER TABLE FOR BHUGDOI TABLE	1	JORHAT, ASSAM	<p>Centre Table ( Brand : Godrej Alice or Equivalent)            Technical Specifications            1. Dimensions W x H x D (cm): 100 x 45 x 65            2. Primary Material: Solid Wood            3. Provided with Tempered Glass Top to hold up to 40 kgs (approx.) of weight.            4. Provided with Single storage in bottom portion            5. Warranty: 1 Year</p>
290	OC000219	PERSONAL LOCKER UNIT OPERATION	4		<p>Personal Locker Unit 6 doors ( Brand : Godrej or Equivalent)            Model : Godrej Interio Personal Locker Unit            1.All lockers have ventilating louvers for air circulation            2.Label holders for easy identification            3.Lockers are to be e provided with locks            Size : (Width X Depth X Height) : 38cm X 45 cm X 183cm (approx).</p>

300	OC000219	PERSONAL LOCKER UNIT TANK FARM	4		<p>Personal Locker Unit 6 doors ( Brand : Godrej or Equivalent)  Model : Godrej Interio Personal Locker Unit  1.All lockers have ventilating louvers for air circulation  2.Label holders for easy identification  3.Lockers are to be provided with locks  Size : (Width X Depth X Height) : 38cm X 45 cm X 183cm (approx).</p>
310	OC000219	SLOTTED ANGLE RACK FOR T&I	15		<p>Slotted Angle Steel Rack ( Brand : Godrej or Equivalent)  Overall height ±3mm 1700-2000 millimetre  Overall width ±3mm 915-950 millimetre  Overall depth ±2mm 410-450 millimetre  No. of Shelves : 5 Nos. (on removable basis)  Warranty period in number of years : 01</p>
320	OC000219	SLOTTED ANGLE RACK FOR E&C PS1	2		<p>Slotted Angle Steel Rack ( Brand : Godrej or Equivalent)  Overall height ±3mm 1700-2000 millimetre  Overall width ±3mm 915-950 millimetre  Overall depth ±2mm 410-450 millimetre  No. of Shelves : 5 Nos. (on removable basis)  Warranty period in number of years : 01</p>
330	OC000219	SLOTTED ANGLE RACK FOR E&C PS2	2		<p>Slotted Angle Steel Rack ( Brand : Godrej or Equivalent)  Overall height ±3mm 1700-2000 millimetre  Overall width ±3mm 915-950 millimetre  Overall depth ±2mm 410-450 millimetre  No. of Shelves : 5 Nos. (on removable basis)  Warranty period in number of years : 01</p>
340	OC000219	SLOTTED ANGLE RACK FOR E&C PS11	2		<p>Slotted Angle Steel Rack ( Brand : Godrej or Equivalent)  Overall height ±3mm 1700-2000 millimetre  Overall width ±3mm 915-950 millimetre  Overall depth ±2mm 410-450 millimetre  No. of Shelves : 5 Nos. (on removable basis)  Warranty period in number of years : 01</p>
350	OC000219	SLOTTED ANGLE RACK FOR E&C PS11	3		<p>Slotted Angle Steel Rack ( Brand : Godrej or Equivalent)  Overall height ±3mm 1700-2000 millimetre  Overall width ±3mm 915-950 millimetre  Overall depth ±2mm 410-450 millimetre  No. of Shelves : 5 Nos. (on removable basis)  Warranty period in number of years : 01</p>
360	OC000218	PLASTIC TABLE	3	SEKONI, ASSAM	<p>Required  Description: Plastic Table  Make: Supreme Swiss, Nilkamal, Godrej or equivalent  Specification :  W x H x D: 121.9 cm x 73.7 cm x 76.2 cm (3 ft 11 in x 2 ft 5 in x 2 ft 6 in)</p>
370	OC000218	PLASTIC CHAIRS	5		<p>Plastic Chairs  Description: Office Chair with armrest Pre-assembled  Make: Nilkamal, Godrej, Swiss Supreme or equivalent  61D x 56W x 78H Centimeters</p>
380	OC000218	PLASTIC CHAIRS	5		<p>Plastic Chairs  Description: Plastic Chair with armrest Pre-assembled  Make: Nilkamal, Godrej, Swiss Supreme or equivalent  61D x 56W x 78H Centimeters</p>
390	OC000218	PLASTIC CHAIRS	5		<p>Plastic Chairs  Description: Plastic Chair with armrest Pre-assembled  Make: Nilkamal, Godrej, Swiss Supreme or equivalent  61D x 56W x 78H Centimeters</p>
400	OC000083	VISITOR CHAIR	8		<p>Chair Specifications are mentioned below:  Make: Office Chair Godrej Premier or Equivalent  Minimum Specification:  1. Dimensions W x H x D (cm): 55 x 80.5 x 61  2. Finish Color: Black  3. Seat Height (cm): 43  4. Upholstery Material : Fabric  Other specifications:  The visitor chairs for office shall have a cantilevered, tubular understructure that is responsive to body movements and provides greater comfort.The backrest should specifically designed for the human body with contoured lumbar support which protects the spine and leaves the shoulder free for easy movement.  The armrests shall be made of one piece , well rounded polyurethane, that is indifferent to climatic conditions.  WARRANTY: 1 year or more</p>
410	OC000565	OFFICE TABLE	1		<p>HEIGHT OF TABLE: 750 MM (Minimum)  DRAWERS in Pedestal Unit: 3 NO (Minimum).  LOCK PROVIDE FOR PEDESTAL UNIT: INDIVIDUAL LOCKS  Extended return Unit (ERU):  ERU Material: MDF Board  Components: 1 Storage Unit with shutter  Locking: Central Locking System  MAKE: Nilkamal Elegant Executive Table or equivalent.  WARRANTY: 1 year or more</p>
420	OC000565	COMPUTER TABLE	1		<p>COMPUTER TABLE WITH KEYBOARD DRAWER AND TABLE TOP GABLE END MODESTY PANEL.  MAKE: Godrej / Nilkamal or equivalent.  Other specs:  prelaminated particle board(Wood Product) of grade II type II of IS 12823/latest  Adjustable keyboard arm  Table top thickness : 25 MM  Height of table : 760 MM  Length of table : 1065 MM  Thickness of Keyboard: 15 MM  WARRANTY: 1 year or more</p>

430	OC000463	RACK-HEAVY DUTY	4	SONAPUR, WEST BENGAL	<p>Heavy Duty Industrial steel rack with following specification:  Specification:  1. Number of layer per rack:3  2. Load Capacity per layer(Kg): 500 kg(min)  3. Usage: Industrial type  4. Size: 6'H X 2'D X 6'L  5. Surface Finish : All Powder coated components are to be provided with anti-rust treatment. The dry film thickness (DFT) after powder coating would be on an average 35 microns.  6. Side bracing should be provided for strength.  Make: Godrej or equivalent  WARRANTY: 1 year or more</p>
440	OC000045	BOOK CASE	2		<p>Specification:  1. Book case body and door should be made of good quality and powder coated CRCA sheet of minimum 0.8mm thickness.  2. Back &amp; Shelves should be made of 0.6 mm thick (min) powder coated CRCA Sheet.  3. Surface Finish : All Powder coated components are to be provided with anti-rust treatment. The dry film thickness (DFT) after powder coating would be on an average 35 microns.  4. Four shelves provided making 5 equal compartments for storage.  5. High quality locking mechanism and Traditional Solid Handle should be there.  6. Size: Dimension should be as follows-  H=1.8-2m  W=0.8-1 m  D=46-54m  MAKE: Godrej OR equivalent.  WARRANTY: 1 year or more</p>
450	OC000463	RACK-HEAVY DUTY	4		<p>Heavy Duty Industrial steel rack with following specification:  Specification:  1. Number of layer per rack:3  2. Load Capacity per layer(Kg): 500 kg(min)  3. Usage: Industrial type  4. Size: 6'H X 2'D X 6'L  5. All fasteners used are of grade 8.8 with galvanized finish to suit industrial atmosphere.  6. Surface Finish : All Powder coated components are to be provided with anti-rust treatment. The dry film thickness (DFT) after powder coating would be on an average 35 microns.  9. Side bracing should be provided for strength.  Make: Godrej or equivalent</p>
460	OC000045	BOOK CASE	2		<p>Specification:  1. Book case body and door should be made of good quality and powder coated CRCA sheet of minimum 0.8mm thickness.  2. Back &amp; Shelves should be made of 0.6 mm thick (min) powder coated CRCA Sheet.  3. Surface Finish : All Powder coated components are to be provided with anti-rust treatment. The dry film thickness (DFT) after powder coating would be on an average 35 microns.  4. Four shelves provided making 5 equal compartments for storage.  5. High quality locking mechanism and Traditional Solid Handle should be there.  6. Size: Dimension should be as follows  H=1.8-2m  W=0.8-1 m  D=46-54m  MAKE: Godrej OR equivalent.</p>
470	OC000218	MATTRESS FOR VIP GUEST HOUSE	1		<p>Mattress  Make: Godrej or Equivalent  King Size Mattress  Size- 72 Inch (Width) x 78 Inch (Length)  Thickness- 6 Inch  Foam Material- Memory Foam or equivalent</p>
480	OC000218	BED FOR VIP GUEST HOUSE	1		<p>King Size Bed  Make: Godrej (Granade Pro King Bed with Bedside Table) or Equivalent  Wood- Sheesham Wood  HeadBox Required  Bedside Table required  Size- 72 Inch (Width) x 78 Inch (Length)  Finish Color-Imperial Oak</p>
490	OC000218	WARDROBE FOR VIP GUEST HOUSE	1		<p>Wardrobe  Make: Godrej (Riga 2 Door Wardrobe) or Equivalent  Dimensions- W x H x D: 902 mm x 1902 mm x 482 mm (2 ft 11 in x 6 ft 2 in x 1 ft 6 in)  Door Type-Hinged Door  Number of Drawers-1  Number of Shelves-6  Mirror to be included  Primary Material-Solid Wood  Primary Material Subtype-Rosewood (Sheesham)  Finish Color-Imperial Oak</p>
500	OC000218	WORK DESK/ TABLE FOR VIP GUEST HOUSE	1		<p>Workdesk  Make: Godrej (adria work desk) or Equivalent  Utility Drawer required.  Dimensions W x H x D (cm)-120 x 71.8 x 60.5  Finish Color-Imperial Oak</p>
510	OC000218	CHAIR FOR VIP GUEST HOUSE	2	DUMAR, BIHAR	<p>Chair  Make: Godrej (Oxbo Non Revolving) or Equivalent  Non revolving type.  Dimensions W x H x D (cm): 76.3 x 89.5-100.5 x 76.3  Seat Height (cm) 43.3-54.3  Colour: Black</p>
520	OC000218	TEA TABLE FOR VIP GUEST HOUSE	1		<p>Tea Table  Make: Godrej (Dual Coffee Table) or Equivalent  Dimensions- W D H (mm)904 x 444 x 411  Shape- Rectangular  Top Material- Glass  Finish Color-Imperial Oak</p>



530	OC000218	DINING TABLE FOR VIP GUEST HOUSE	1		<p>4 Seater Dining Table with 4 Chairs  Make: Godrej (4 seater Ingrid Dinning table with 4 chairs) or Equivalent  Dimension of table- W D H (mm)- 1200 x 1200 x 760  Chairs- 4 nos.  Material of table chair- Sheesham Wood</p>
540	OC000218	SOFA SET FOR STAFF GUEST HOUSE	1		<p>5 Seater Sofa Set (3+1+1)  Make: Godrej (Orlando Pure Leather Sofa) or Equivalent  Dimensions- W x H x D:  3 seater: 182 cm x 88.9 cm x 91.9 cm  1 seater: 92 cm x 88.9 cm x 91.9 cm  Filling Material: Foam  Cover Material- Pure Leather/Synthetic Leather  Colour- Brown</p>
550	OC000218	CENTER TABLE FOR STAFF GUEST HOUSE	1		<p>Center Table  Make: Godrej (Bloom Coffee Table) or Equivalent  Dimensions- W D H (cm) 100 x 60 x 42.8  Color- Brown</p>
560	OC000218	SINGLE BED MATTRESS	6	BARAUNI, BIHAR	<p>SINGLE BED MATTRESS SHOULD HAVE THE FOLLOWING FEATURES:  BRAND &amp; MODEL: Godrej Spinefine Mattress or Equivalent Brand &amp; Model  Primary Material: Bonded Foam  Secondary Material: Memory Foam  Middle material : Hard Foam  Layers: Multiple Layers  Construction: Knitted  Colour of all mattress shall be same.  Size: 78" x 36" x 6" (Kindly confirm size from user before supplying)  Warranty: 3 Years</p>