

General Manager (INDEG)  
INDEG Department  
Oil India Limited  
Duliajan-786602, Assam  
(Email ID : [indeg@oilindia.in](mailto:indeg@oilindia.in))

**Ref: INDEG/OIL/EOI/07/364/Phase I-XII - 2023-24 dated 01.08.2023**

Honourable Prime Minister has said, "Aatmanirbhar Bharat is not about being self-contained or being closed to the world, it is about being self-sustaining and self-generating.

In order to propagate above views of Honourable Prime Minister, "Aatmanirbhar Bharat Abhiyyan" has been launched. Oil India Limited (OIL) is committed to take forward vision given in "Aatmanirbhar Bharat Abhiyyan" for Import substitution of items required by Oil India Limited (OIL).

Interested companies are requested to send their Expression of Interest with all documentary evidence for the items listed herewith as per format attached to INDEG Department of OIL at Email ID: [indeg@oilindia.in](mailto:indeg@oilindia.in).

Development orders will be placed for the items, if found suitable as per OIL's Development order policy as uploaded in our [Website : www.oil-india.com](http://www.oil-india.com) >> [Flagship program](#).

**Vendors may send their Expression of Interest by 15.09.2023.**

(Please type on your Letter Head)

Ref. No.....

Date :

To

**General Manager (INDEG)**

**INDEG Department**

Oil India Limited

Duliajan-786602

Assam

(Email ID : [indeg@oilindia.in](mailto:indeg@oilindia.in))

**Expression of Interest  
(For Import substitution)**

1. Company Details

1	Company Name	
	Whether manufacturer. If not, whether dealer, distributor etc.	
2	Location	
3	Address	
4	Contact Person	
5	E-mail ID	
6	Mobile/Cell Phone No	
7	Product/Service Proposed for Development	
8	Quantity Offered for Field Trial (Based on field requirement, actual quantity to be decided)	
9	Delivery Schedule	
10	Estimated Price of the Product / Unit/service	
11	Have you supplied this item to Indian Oil & Gas Companies (names of companies)	

2. Details with copies of relevant documents

1	Details of infrastructure available
2	Manpower details
3	Equipment, Machineries & testing details available
4	Existing product/service details including the offered items/services
5	Copy of last two years Audited Balance Sheet of the Company
6	Copy of company Incorporation Certificate along with Memorandum of Association (MOA)/ Articles of Association (AOA) OR Copy of partnership deed in case of partnership company
7	Copy of GST Registration Certificate
8	Copy of PAN Card
9	Copy of MSME Certificate, if any
10	Copy of NSIC Certificate, if any

Name : ..... Signature ..... Designation.....

**Import Substitution Items List**

<b>SI · n o.</b>	<b>ITEM DESCRIPTION</b>
1	CROME CASING PIPES
2	CHROME TUBING PIPES
3	DRILL PIPES
4	HEAVY WEIGHT DRILL PIPE
5	DRILL COLLARS AND LIFTING PLUG
6	DRILLING STABILIZERS
7	DRILLING/ WORKOVER HANDLING TOOLS --- ELEVATORS, TONGS, SLIPS etc.
8	POTASSIUM FORMATE
9	SOLID CONTROL EQUIPMENT --- MUD CLEANER/ DEGASSER/ CENTRIFUGE/ LINEAR MOTION SHALE SHAKER
10	SUCKER ROD PUMP (SRP) AND ITS ACCESSORIES
11	SRP INSERT PUMP
12	ETHYL MERCAPTAN
13	LOW SHEAR VELOCITY FLUIDS/POLYMERS
14	EMD CHEMICAL DOSING PUMP, RECIPROCATING PUMP
15	HSP 20/40, ISP 20/40, ISP 30/50 MESH
16	PIG TRACKER/TRANSMITTER
17	PIPELINE LOCATOR
18	LOGGING CABLES
19	TRI CONE ROLLER DRILLING BITS OF VARIOUS SIZES
20	11"OD STANDARD REVERSE CIRCULATING JUNK BASKET & 7.7/8" OD REVERSE CIRCULATING JUNK BASKET
21	PDC DRILL BITS OF VARIOUS SIZES
22	FISHING TOOL; 6.5/8 INCHES OD JUNK SUB FOR OPERATION INSIDE 8.1/2 INCHES HOLE
23	IMPRESSION BLOCK FOR 4.5 INCH OD , 5.0 INCH OD, 9.625 INCH OD & 13.375 INCH OD CASING
24	PNEUMATIC SPINNER
25	5.1/ 2" PREMIUM THREADED CASING (GRADE: N80 & GRADE P110)
26	CASED HOLE LOGGING UNITS WITH TOOLS AND ACCESSORIES ALONG WITH INSTALLATION, COMMISSIONING AND TRAINING
27	WIRELINE MAST UNIT, INCLUDING TRAINING AND INSTALLATION& COMMISSIONING
28	OIL WELL EXPLOSIVES : (I) 2-1/8 INCH TUBING CUTTER ALONG WITH DETONATOR AND HARDWARE ACCESSORIES (II) 1-9/16 INCH TUBING PUNCHER/ CIRCULATION CHARGE & HARDWARE ACCESSORIES
29	OIL WELL EXPLOSIVES : EXPLOSIVES FOR BAKER PRESSURE SETTING TOOLS : POWER CHARGE, PRIMARY IGNITOR & SECONDARY IGNITOR
30	PROCUREMENT OF OIL WELL EXPLOSIVES USED IN EXPLORATION AND PRODUCTION OF HYDROCARBON (I) DEEP PENETRATION CHARGES (II) RESISTORIESS DETONATOR ASSY, (III) DETO CORD 80 HMX NYLON LS 1.4S (IV) 54 MM STRIP CARRIER, 6SPF, 12 FT/3 M LONG (V) DETOCORD /CHARGE CLIPS (VI) TANDEM CONNECTOR ,2.1/8" STRI P CARRIES (VII) SPLICE BOOT FOR LEAD WIRE (VIII) DETONATOR CORD RETAINER (IX) 53.975 MM (2.1/8") OD FIRING HEAD ASSY (X) NUT & BOLT FOR CONNECTING STRIP

	(XI) NUT & BOLT FOR CONNECT TANDEM(XII) DETO CORD END SEAL (100 NOS./PKT) (XIII) 2.1/8" CHARGE TIGHTENING WRENCH
31	27.1/2" (698.50 MM) ROTARY TABLE
32	7.1/16" X 10 M DOUBLE RAM BOP WITH ACCESSORIES
33	13.5/8" X 10 M SINGLE RAM BOP WITH ACCESSORIES
34	3.1/16" X 10 M FLEXIBLE STEEL HOSES FOR CHOKE MANIFOLD 3.1/8" X 5 M FLEXIBLE STEEL HOSES FOR CHOKE MANIFOLD
35	2.1/16" X 5M - SS FLEXIBLE STEEL HOSE 3.1/16" X 10M - SS FLEXIBLE STEEL HOSE 3.1/8" X 5M FLEXIBLE STEEL HOSES
36	THERMAL WELLHEADS FOR 7" AND 9.5/8" CASING COMPLETION WITH INSTALLATION & COMMISSIONING
37	HOSE VIBRATOR
38	ROTARY HOSE, DRILLING IN ASSORTED LENGTH
39	2.34 MM (0.092") PIANO WIRELINE (WELL MEASURING LINE)
40	STATIC GEL STRENGTH ANALYZER
41	ELECTRONIC RESERVOIR PRESSURE AND TEMPERATURE MEASURING GAUGE.
42	AUTOMATIC DISTILLATION APPARATUS
43	FT – IR SPECTROPHOTOMETER
44	RHEOMETER
45	350 SHORT TON DRILLING HOOK & ELEVATOR LINKS (250 SHORT TON, 350 SHORT TON AND 500 SHORT TON)
46	DIGITAL ACOUSTIC LIQUID LEVEL MEASURING CUM DYNAMOMETER EQUIPMENT (ECHOMETER)
47	CROSS OVER, PREMIUM BOX X API EUE & PUP-JOINT, 2.7/8", PREMIUM IN ASSORTED LENGTH
48	GEOLOGICAL THIN SECTION PREPARATION UNIT COMPRISING OF CUTTING, VACUUM IMPREGNATION, GRINDING AND POLISHING EQUIPMENT AND CONSUMABLES.
49	POLARISED MICROSCOPE
50	PONY DRILL COLLAR
51	PREMIUM TUBING
52	37.1/2" ROTARY TABLE
53	AIR GAS PERMEAMETER
54	DOUBLE BLOCK AND BLEED ISOLATION PLUG
55	GAS CHROMATOGRAPH
56	LOW TO MODERATE TEMPERATURE CEMENT RETARDER
57	HIGH TEMPERATURE FLUID LOSS CONTROL CEMENT ADDITIVE
58	XCD-POLYMER
59	XC-POLYMER (PREMIUM)
60	POLY ANIONIC CELLULOSE-REGULAR
61	POLY ANIONIC CELLULOSE-SUPER LO
62	JUNK SUB 5.1/2 INCH & 7 INCH
63	13.5/8-INCH X 10000 PSI ANNULAR BOP
64	13.5/8-INCH X 10000 PSI Double RAM BOP.
65	CT REELS
66	SUPER FISHING JAR
67	DRILLING JAR

68	OVERSHOTS
69	SLAMMER LOGGING CABLES
70	3" LEFT HAND KELLY
71	MULTI ELEMENT ANALYZER
72	HIGH PERFORMANCE EP LUBE
73	MERCURY FREE PVT SYSTEM
74	SURFACE MEMORY GAUGE
75	ACCESSORIES OF LOGGING CABLE
76	DOWNHOLE PRESSURE TEMPERATURE GAUGE
77	REAL TIME KINEMATIC DIFFERENTIAL GLOBAL POSITIONING SYSTEM
78	FLOW ASSURANCE SOFTWARE
79	SEISMIC SURVEY DESIGNING AND MODELLING SOFTWARE
80	LOW TO MODERATE TEMPERATURE FLUID LOSS CONTROL CEMENT ADDITIVE
81	HIGH TEMPERATURE CEMENT RETRADER
82	CEMENT FRICTION REDUCER
83	ISOTOPE RATIO MASS SPECTROMETER
84	FISHING TOOL – 6.75" OD , AXIAL VIBRATIONAL ,SHOCK ABSORBING TOOL 8" OD , AXIAL VIBRATIONAL ,SHOCK ABSORBING TOOL
85	TUBING STRIPPER
86	NANO-GRAPHENE BASED LUBRICANT
87	TUBING RETRIEVABLE, SURFACE CONTROLLED, SUB-SURFACE SAFETY VALVE (TR-SCSSSV) WITH ACCESSORIES
88	6 1/2" FISHING BUMPER SUB
89	CORE DRESSER
90	CORE PLUG DRILLING EQUIPMENT
91	CIRCULATING OVERSHOT (FISHING TOOL)
92	REVERSE CIRCULATING JUNK BASKET - (FISHING TOOL )
93	METAL MUCHER JUNK MILL - (FISHING TOOL )
94	CORE FLOODING SYSTEM
95	3.1/2 INCH OD DOWN HOLE MUD MOTOR
96	JAR INTENSIFIER (FISHING TOOL)
97	3. 3/8 - 3/5" TAG PERFORATION CHARGES AND ACCESSORIES - EXPLOSIVES
98	2 1/8" UNIPHASE THROUGH TUBING PERFORATION CHARGE AND ACCESSORIES - EXPLOSIVES
99	2.7/8" MUD MOTOR
100	DOUBLE PLUG CEMENTING HEAD
101	ROTARY TAPER TAP (FISHING TOOL)
102	CEMENTING UNIT
103	HOT TAPPING UNIT
104	DRILLING SIMULATOR
105	WELLHEAD SAMPLING KIT
106	SPEAR (FISHING TOOL)
107	ECHOMETER

108	4" REVERSE CIRCULATING JUNK BASKET- FISHING TOOL
109	2" AND 2 5/8" DRILL COLLAR SEVERING TOOL ( DCST) EXPLOSIVES
110	WELL SERVICING PUMP PACKAGE FOR WORKOVER OPERATION
111	DIE COLLAR - FISHING TOOL
112	PACKER MILLING & RETRIEVABLE TOOL - FISHING TOOL
113	DRILL PIPE SPINNER
114	DRILL COLLAR ELEVATOR
115	TORQUE MASTER
116	LT-OSD - specialized multicomponent chemical formulation that is highly crude specific and is to be designed to effectively separate water from the crude oil emulsion when the curing temperature inside the Emulsion Treater (ET) vessels is 45° C and below. LT-OSD is categorised as LT-OSD: Type I and LT - OSD:Type – II depending on their performance on different type of emulsion characteristics in various oilfields of upper Assam.
117	<b>Enzyme</b> used for wellbore clean up, perforation zone clean up and stuck pipe removal jobs by removing filter cake in water base mud / well completion fluid.  <b>Bio-surfactant</b> used along with Enzyme for wellbore clean up, perforation zone clean up and stuck pipe removal jobs in water base mud / well completion fluid.
118	Casing Clamp for 5.1/2" , 7" & 9.5/8" casings.
119	CMC-Low Viscous Grade (LVG)
120	Pregelatinized Starch (PGS)
121	Magcoasphasol (MGP)
122	2 Inch OD Through Tubing Scallop Hollow Carrier Spiral Perforating Gun System & Accessories (Explosives and Hardware)
123	13.5/8" x 5000PSI W.P. Double studded Double Pack off Adapter Flange as per API SPEC 6A
124	11" x 10000 PSI W.P. Double studded Double Pack off Adapter Flange as per API SPEC 6A
125	POTASSIUM SULPHATE
126	ANTI-SETTLING CEMENT ADDITIVE
127	GAS BLOCK CEMENT ADDITIVE
128	POLYAMINE
129	SODIUM FORMATE
130	LEFT HAND DRILL PIPE
131	BLADED JUNK MILL
132	ROTARY WASH OVER SHOE, WASH OVER PIPES AND DRIVE SUB
133	FLAT BOTTOM MILL
134	TAPER MILL
135	7.1/16" X 10 M ANNULAR BOP
136	7.1/16" X 5 M ANNULAR BOP
137	SHORT PIN TAPES (LEFT HAND):

138	90 T TUBING SWIVEL
139	7.1/16" X 5 M DOUBLE RAM BOP WITH ACCESSORIES
140	7.1/16" X 5 M SINGLE RAM BOP WITH ACCESSORIES
141	FULL OPENING SAFETY VALVE (FOSV)
142	CUP TYPE TESTER
143	TEST PLUG
144	JAR TESTER
145	MUD PUMP PRESSURE SYSTEM
146	X RAY DEFRACTOMETER
147	SHOCK SUBS
148	TONG LINE PULL AND LOAD CELL ASSEMBLY
149	INTERNAL CASING CUTTER
150	BATTERY OPERATED DIGITAL PUMP STROKE COUNTER SYSTEM
151	0.108" SLICKLINE

\*\*\*\*\*